DC-DC Converters

DLS-110110DC-HW Series

110V to 110V DC Power Supply



- I High efficiency
- I High precision
- I Heavy duty applications

DLS-110110DC-HW Series DC-DC Converter Datasheet 100-130 VDC Input and 110VDC output



Applications:

- Automotive
- Telecommunications
- Distributed power
- Defense
- Aerospace
- Medical
- And other applications requiring high efficiency

General Description:

Nelso[®] is manufacturer of high precision, high reliability DC-DC Converter in Kolkata, India. This product is designed to provide 110V to 110V power conversion for heavy duty applications.

Features:

- Input-output isolation
- High efficiency
- High precision
- Wide input voltage range
- Over-voltage protection
- Under voltage protection
- Reverse polarity protection
- Voltage transient protection
- Over load protection
- Short circuit protection

Quick Reference Data:

Model No.	Input Voltage	Output Voltage	Output Current	Efficiency	Ripple
DLS-110110DC-HW	110V DC	110V DC	2A-5A	>80%	<150mV

Electrical Specification:

Input Voltage:	100V - 130V DC		
Output Voltage:	110V DC (Regulated)		
Output Current / Wattage:	2A-5A / 220W-550W		
Reverse Polarity:	200V DC		
Line Regulation:	±0.5%		
Load Regulation:	± 1% at terminal block		
Switching Frequency:	80 KHz		
Efficiency:	>80% Typical		
Topology:	Transformer isolated forward converter		
Operating Temperature:	-20 to 80 °C		
Humidity:	Up to 95% RH		
Cooling Process:	Forced convection cooling by fan		
Storage Temperature Range:	- 55°C to + 105°C		
Weight:	1400gm		
Dimension (Length x Width x Height):	242 x 155 x 95mm		

Dimension and Pin Assignment

