DC-DC Converters

DLS-11024DC-HW Series

110V to 24V DC Power Supply



- I High efficiency
- I High precision
- I Heavy duty applications

DLS-11024DC-HW Series DC-DC Converter Datasheet 100-130 VDC Input and 24VDC output



Applications:

- Automotive
- Telecommunications
- Distributed power
- Defense
- Aerospace
- Medical
- And other applications requiring high efficiency

General Description:

Nelso[®] is manufacturer of high precision, high reliability DC-DC Converter in Kolkata, India. This product is designed to provide 110V to 24V power conversion for heavy duty applications.

Features:

- Input-output isolation
- High efficiency
- High precision
- Wide input voltage range
- Over-voltage protection
- Under voltage protection
- Reverse polarity protection
- Voltage transient protection
- Over load protection
- Short circuit protection

Quick Reference Data:

	Model No.	Input Voltage	Output Voltage	Output Current	Efficiency	Ripple
I	DLS-11024DC-HW	110V DC	24V DC	16-30A	>80%	<150mV

Electrical Specification:

Input Voltage:	100V - 130V DC			
Output Voltage:	24V DC (Regulated)			
Output Current / Wattage:	16 - 30A / 384W-720W			
Reverse Polarity:	200V DC			
Line Regulation:	±1%			
Load Regulation:	± 5% at terminal block			
Switching Frequency:	80 KHz			
Efficiency:	>80% Typical			
Topology:	Transformer isolated forward converter			
Operating Temperature:	-20 to 80 °C			
Humidity:	Up to 95% RH			
Cooling Process:	Forced convection cooling by fan			
Storage Temperature Range:	- 55°C to + 105°C			
Weight:	1400gm			
Dimension (Length x Width x Height):	242 x 155 x 95mm			

Dimension and Pin Assignment

